UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/572,753	03/21/2006	Hajime Nakamura	062281	9440
38834 7590 04/12/2011 WESTERMAN, HATTORI, DANIELS & ADRIAN, LLP		EXAMINER		
1250 CONNECTICUT AVENUE, NW SUITE 700			HOBAN, MATTHEW E	
WASHINGTON, DC 20036			ART UNIT	PAPER NUMBER
			1734	
			NOTIFICATION DATE	DELIVERY MODE
			04/12/2011	ELECTRONIC

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentmail@whda.com

	Application No.	Applicant(s)	
	10/572,753	NAKAMURA ET AL.	
Office Action Summary	Examiner	Art Unit	
	Matthew E. Hoban	1734	
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet with	the correspondence addr	ess
A SHORTENED STATUTORY PERIOD FOR REPLEWHICHEVER IS LONGER, FROM THE MAILING IDENTIFY TO BE STATED AND THE MAILING IDENTIFY TH	DATE OF THIS COMMUNICA .136(a). In no event, however, may a rep d will apply and will expire SIX (6) MONTH te, cause the application to become ABAN	ATION. y be timely filed IS from the mailing date of this community IS (35 U.S.C. § 133).	
Status			
<ul> <li>1) ☐ Responsive to communication(s) filed on 03 in 2a) ☐ This action is FINAL.</li> <li>2b) ☐ This action for allowers closed in accordance with the practice under 1 in 2b in 2</li></ul>	is action is non-final. ance except for formal matter	·	nerits is
Disposition of Claims			
4) ☑ Claim(s) 11,19-22 and 26-32 is/are pending in 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed.  6) ☑ Claim(s) 11, 19-22, and 26-32 is/are rejected 7) ☐ Claim(s) is/are objected to.  8) ☐ Claim(s) are subject to restriction and/	awn from consideration.		
Application Papers			
9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) ac Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	cepted or b) objected to by e drawing(s) be held in abeyance ction is required if the drawing(s)	e. See 37 CFR 1.85(a). is objected to. See 37 CFR	, ,
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of:  1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority documer application from the International Burea * See the attached detailed Office action for a lis	nts have been received. nts have been received in Apportity documents have been reau (PCT Rule 17.2(a)).	olication No eceived in this National St	age
Attachment(s)	_		
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO/SB/08)</li> <li>Paper No(s)/Mail Date</li> </ol>	Paper No(s)/l	nmary (PTO-413) Mail Date rmal Patent Application	

Art Unit: 1734

#### **DETAILED ACTION**

### Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. The factual inquiries set forth in *Graham* **v.** *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
  - 1. Determining the scope and contents of the prior art.
  - 2. Ascertaining the differences between the prior art and the claims at issue.
  - 3. Resolving the level of ordinary skill in the pertinent art.
  - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 3. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 4. Claims 11, 19-22, 26 and 29-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fujimura in 4859255 in view of Kim in 7163591 and further in view of

Art Unit: 1734

Nakamura in the English translation of their publication entitled "Magnetic Properties of Miniature Nd-Fe-B Sintered Magnets" (appearing in the IDS filed 11/30/2007).

Regarding Claim 11: Fujimura teaches permanent magnets of the (Fe,Co)-B-R family (wherein the amount of Co can be 0) (See Abstract). These magnets are made by the basic steps as set forth in column 8, lines 25-50, with an additional optional aging step which can be performed at from 350 to the sintering temperature, where in the sintering temperature is defined as anything between 900 and 1200 C (See Column 8, Lines 5-20).

Fujimura does not use a heat treatment where a powder of a fluoride of R is disposed on the sintered magnet form.

However, Kim teaches that by incorporating a heat treatment step wherein any of DyF<sub>3</sub> Dy<sub>2</sub>O<sub>3</sub>, PrF<sub>3</sub> and NdF<sub>3</sub> is disposed with the sintered magnetic composition in order to increase many of the properties of the form (see Figure 4). The specific properties improved include iHc, M (See Paragraph 49-51), as well as increasing the microstructural soundness and uniformity of the grains as well as increasing the smoothness of the surface. This leads to a lower nucleation rate of reversed domains, leading to higher coercivity (See Paragraph 53-56).

Art Unit: 1734

Therefore, it would have been obvious based on the teachings of Kim to include a heat treatment step including any of the disclosed additives with the sintered form, after the initial sintering of the composition. This fits well with the Fujimura reference, as this reference also uses a sintering step. Therefore, the magnetic form of Fujimura could have similar improvements in the above stated properties as taught by Kim. This would provide ample motivation to one of ordinary skill in the art to combine these references

Fujimura in view of Kim are silent as to the use of a slurry to dispose the powder on the magnetic form.

However Nakamura teaches that fine powders such as those taught by Kim can be disposed on the sintered magnetic form by a dip coating process, wherein either an **oxide** or fluoride of Dysprosium is dispersed. This process is followed by a heat treatment and aging step as is taught by Kim. As the process of disposing a powder in solid form or a liquid form as substantially shown as being useful for an equivalent purpose, one of ordinary skill in the art would find that it would have been obvious to substitute the powder disposing step of Kim with that of Nakamura. Substitution of functionally equivalent steps in a process represents a prima facie case of obviousness. One of ordinary skill in the art would be motivated to employ the step of Nakamura based on this equivalence, but also possibly on the fact that dipcoating is generally more automatable and controllable as the depth of such a coating is based on the surface tension of the liquid (See Page 12-13 of Nakamura).

Page 5

**Regarding Claims 19, 30-32:** Nakamura teaches the creation of magnets by this process having a size of 4x4x0.5mm.

**Regarding Claims 20:** The filling factor of the additive as used by Kim is at least 10% which is evidenced by the fact that the surrounding space contains no other fillers aside from the liquid containing dysprosium fluoride/**oxide**. Thus the filling factor of the additive as compared to other fillers would be greater than 10% and would be nearly 100%.

**Regarding Claim 11 and 21:** The particle size of the additive as used by Kim is between .1 and 50 microns as evidenced by line 36 of column 3. This particle size would also be useful in the process of Nakamura as it is for the same purpose.

**Regarding Claim 21-22:** At column 5, Lines 17-25 Kim gives several options for the R-compound useful in his invention including composition where R is Dy. This selection is also mirrored by Nakamura.

**Regarding Claims 26:** The process of Fujimura in view of Kim would include the heat treatment of Kim between the sintering and aging of the powders. Kim teaches that the aging of NdFeB magnets occurs at a temperature between 350 and the sintering temperature, wherein the sintering temperature is between 900-1200C (See Column 8).

The intermittent heat treatment to dispose DyF<sub>3</sub> on the magnetic forms to improve their properties is from 500-1100C (See Column 2, Lines 0-10). Therefore within this combination of references, the sintering temperature can be greater than the heat treatment temperature, which in turn is greater than the aging temperature.

Page 6

**Regarding Claim 29:** Nakamura teaches an acid cleaning step after heat treatment (See Page 13)

1. Claims 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over Fujimura in 4859255 in view of Kim in 7,163,591 and further in view of Nakamura as applied to claim 11 above, and further in view of Mitsuji in 5286366.

Please review the rejection under Fujimura in view of Kim and further in view of Nakamura to understand the scope of this invention.

The applied art does not teach using an acid, alkali, or organic solvent to clean the magnet form.

Mitsuji, however, teaches that it is beneficial to add several other layers to the surface of a Nd-Fe-B type magnet due to this composition's inherently poor chemical resistance. This is improved by adding nickel and copper coatings to prevent chemical degradation (See Abstract). In order to add this layer the

Application/Control Number: 10/572,753

Art Unit: 1734

magnet must first have its outer surface layer removed, since this layer has been degraded by the manufacturing process. The magnet is thus etched with nitric and acetic acid to remove from 5-20 microns (See Column 5, Lines 10-35). The layers are then applied to the magnetic material. One of ordinary skill would find that the process of etching the surface of the magnet prior to the powder disposing step would be beneficial as this process would remove any domains that had been reversed during the processing of the material.

Page 7

The process of altering the surface of the article, necessitates that the article's composition can be acted upon and thus would require the removal of oxide layers which would inhibit the diffusion of the Dy or F to the magnetic core. Therefore, the process of cleaning a magnet prior to post processing would be obvious and motivated in the view of one of ordinary skill in the art. Another cleaning step prior to the final coating process would also be obvious since the disposal of the Dy-fluoride powder requires a heat treatment step, in which the oxide skin would redevelop and would subsequently need to be removed by the same process prior to the plating operation.

2. Claims 27-28 is rejected under 35 U.S.C. 103(a) as being unpatentable over Fujimura in 4859255 in view of Kim in 7,163,591 and further in view of Nakamura as applied to claim 11 above, and further in view of Hamada in 6777097.

Please review the rejection under Fujimura in view of Kim and further in view of Nakamura to understand the scope of this invention.

Page 8

The applied art does not teach a shot peening step prior to disposing the powder on the sintered magnet.

Hamada, however, teaches that it is beneficial to add a composite coating to the surface of a Nd-Fe-B type magnet due to this composition's inherently poor chemical resistance. This is improved by adding a silicone resin along with flakes of fine powder to prevent chemical degradation (See Abstract). In order to add this layer the magnet must first have its outer surface layer removed, since oxidation must be removed from the surface of the magnet. The magnet can thus be put through several different processes to attain this goal, such as shot blasting or cleaning with caustic fluids (See Column 5, Lines 30-60). The layers are then applied to the magnetic material. The use of this process would clean the surface of the magnetic form of oxides in order to allow the plating process to occur. Thus under this interpretation the particles of Kim are an initial magnetic form, where the formed particles represent a final magnetic form. The term magnetic form is never explicitly defined. After dip coating the composite magnet is heat treated to decompose the silicone resin into silica (See Column 5, Lines 5-15).

Application/Control Number: 10/572,753

Art Unit: 1734

The process of altering the surface of the article, necessitates that the article's composition can be acted upon and thus would require the removal of oxide layers which would inhibit the diffusion of the Dy or F to the magnetic core.

Therefore, the process of cleaning a magnet by shot peening prior to post processing would be obvious and motivated in the view of one of ordinary skill in the art.

Page 9

## Double Patenting

1. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory

Art Unit: 1734

double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

1. Claims 11 and 19-32 rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over copending application 11/916498.

Although the conflicting claims are not identical, they are not patentably distinct from each other because the copending application claims a process obviating the claimed process. The copending application includes a method of preparing said rare earth iron boride composition from a sintered magnet, wherein a powder of a fluoride, oxide, or oxyfluoride of a rare earth element is disposed on the surface of the magnet and then heat treated. Thereafter the magnet is heat treated to form the final product. Further steps of washing and various dimensions and components in the rare earth elements are disclosed in the dependent claims of the patented application. These claims generally parallel those claims in the instant application. Although the copending application's process includes an additional component in the coating, the process of the conflicting claims still obviates those of the instant claims.

Art Unit: 1734

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

## Response to Arguments

2. Applicant's arguments filed 2/03/11 have been fully considered but they are not persuasive. Applicant argues that Kim teaches that oxides and chlorides have a negative influence on the coercivity of the magnet body. These figures are shown in Figure 4, which only shows a decrease in coercivity when Dy<sub>2</sub>O<sub>3</sub> is used to treat hydrogen decrepitated. As the magnets of the primary reference are not hydrogen decrepitated, one of ordinary skill in the art would not anticipate a decrease in coercivity. Aside from coercivity other benefits are said to arise including but not limited to a decrease in reversed domains associated with the treatment. Thereafter the rejection is maintained. Applicant's desire to hold the double patenting rejection in abeyance is noted.

#### Conclusion

3. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

Art Unit: 1734

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew E. Hoban whose telephone number is (571) 270-3585. The examiner can normally be reached on Monday - Friday from 10 AM to 6:30 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Emily M. Le can be reached on 5712720903. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1734

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Matthew E Hoban/ Examiner, Art Unit 1734 /C. Melissa Koslow/ Primary Examiner, Art Unit 1734